PRODUCT CATALOGUE · BATTERY CONNECTORS

REMA battery connectors

Euro DIN · MRC · FT · JH · SR · SRE · SRX · explosion-proof

MK-Controls Oy is a REMA distributor.



PRODUCT RANGE

REMA battery connectors

Battery and charger connectors from REMA: the Euro DIN range to DIN 43589, high-current MRC connectors for opportunity charging, motor and twin connectors, genderless SR/SRE/SRX connectors with colour-coded voltages, and explosion-proof connectors for hazardous areas. Complete pre-assembled cables on request.

DIN 43589
Euro DIN standard connectors

50 – 640 A
connector ratings

UL · CE · ATEX
approved ranges

MK-Controls Oy is a REMA distributor. Contact us for prices, stock, lead times and pre-assembled cables.

01



Euro DIN connectors

DIN 80 · DIN 160 · DIN 320 · DIN 640

02



MRC high-current connectors

MRC 80/120 · 160/250 · 320/400

03



FT motor connectors

FT 80

04



JH twin connectors

JH 160 · JH 200


05



SR connectors

SR 50 · SR 175 · SR 350


06



SRE connectors

SRE 160 · SRE 320

07



SRX connectors

SRX 175 · SRX 350


08



Explosion-proof connectors

DR E250 ex

09



Monocon connectors

Monocon 15/30/45 · 75 · 120 · 180

Contents

01 Euro DIN connectors
- → DIN 80
- → DIN 160
- → DIN 320
- → DIN 640
- → RCC
- → Reducing bushings

02 MRC high-current connectors
- → MRC 80/120
- → MRC 160/250
- → MRC 320/400

03 FT motor connectors

04 JH twin connectors

05 SR connectors
- → SR 50
- → SR 175
- → SR 350

06 SRE connectors
- → SRE 160
- → SRE 320

07 SRX connectors
- → SRX 175
- → SRX 350

08 Explosion-proof connectors

09 Monocon connectors
- → Monocon 15/30/45
- → Monocon 75
- → Monocon 120
- → Monocon 180

01

Euro DIN connectors

DIN 80 · DIN 160 · DIN 320 · DIN 640 · RCC · Reducing bushings

Quick-disconnect battery connectors to DIN 43589 for forklifts, aerial lifts, floor cleaners, utility vehicles and chargers. Glass-fibre reinforced, acid-resistant housings and silver-plated E-Cu crimp contacts; coding pins, air adapters, pilot and auxiliary contacts and handles are all interchangeable. The DIN 640 size covers high-current and fast-charging applications.



STANDARD	SIZES	CABLE	APPROVALS
DIN 43589 · EN 1175-1	80 · 160 · 320 · 640 A	6 – 240 mm²	UL 1977 · CE

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked “ask”: **request a quote**.

DIN 80



DIN 80 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

DIN 80 · Socket (female)

POS.	ORDER CODE	DESCRIPTION	€
5(2x)/6/7/8/9/10	108913 old 95306-00	**DIN 80 socket · 16 mm² · grey coding · acid resistant**	19,50
5(2x)/6/7/8/9/10	108919 old 95309-00	**DIN 80 socket 25 mm² · grey coding · acid resistant**	20,00
5(2x)/6/7/8/9/10	108922 old 95309-10	**DIN 80 socket 35 mm² · grey coding · acid resistant**	23,50
5/6/7/9	108943 old 95425-01	**DIN 80 housing socket (cable clamp, locking device) · acid resistant**	6,90
8	108691 old 75317-00	DIN 80 main contact 16 mm² for socket (1 pc.)	6,80
8	108693 old 75318-00	DIN 80 main contact 25 mm² for socket (1 pc.)	6,90
8	108695 old 75319-00	DIN 80 main contact 35 mm² for socket (1 pc.)	8,90
10	100072 old 75435-00	DIN 80 coding pin grey (wet)	1,40
10	100075 old 75438-00	DIN 80 coding pin green (dry)	1,40
14	100468 old 75070-42	DIN 80 air adapter socket (6 / 8 mm connection) · light blue	11,50
15	108657 old 75289-00	DIN 80 pilot contact set socket (incl. pilot adapter)	10,50
16	121567 old 75240-02	DIN 80 auxiliary contact for socket (1 pc.)	5,00
5(2x)/6/8/9/10/18	108914 old 95306-01	**DIN 80 socket · 16 mm² · grey coding · fixed handle · acid resistant**	22,50
5(2x)/6/8/9/10/18	108935 old 95342-01	**DIN 80 socket · 25 mm² · grey coding · fixed handle · acid resistant**	21,50
5(2x)/6/8/9/10/18	108920 old 95309-01	**DIN 80 socket 35 mm² · grey coding · fixed handle · acid resistant**	25,50
18	108945 old 95425-05	DIN 80 housing socket (cable clamp, locking device) · fixed handle · acid resistant	8,70
	108715 old 75425-01	DIN 80 housing socket (cable clamp, locking device) · black	ask

POS.	ORDER CODE	DESCRIPTION	€
	108717 old 75425-05	DIN 80 housing socket (cable clamp, locking device) · fixed handle · black	ask

DIN 80 · Plug (male)

POS.		ORDER CODE	DESCRIPTION	€
1/2/3/4/5(2x)/6		111077 old 95198-10	**DIN 80 plug · 10 mm² · grey coding · acid resistant**	ask
1/2/3/4/5(2x)/6		108891 old 95198-00	**DIN 80 plug · 16 mm² · grey coding · acid resistant**	16,00
1/2/3/4/5(2x)/6		108894 old 95199-00	**DIN 80 plug · 25 mm² · grey coding · acid resistant**	15,50
1/2/3/4/5(2x)/6		108895 old 95199-10	**DIN 80 plug 35 mm² · grey coding · acid resistant**	25,00
1/3/5(2x)/6		108948 old 95427-01	**DIN 80 housing plug (cable clamp, locking device) · acid resistant**	6,90
2		108685 old 75314-10	DIN 80 main contact 10 mm² for plug (1 pc.)	3,70
2		108681 old 75314-00	DIN 80 main contact 16 mm² for plug (1 pc.)	4,20
2		108687 old 75315-00	DIN 80 main contact 25 mm² for plug (1 pc.)	4,30
2		108689 old 75316-00	DIN 80 main contact 35 mm² for plug (1 pc.)	8,90
4		100072 old 75435-00	DIN 80 coding pin grey (wet)	1,40
4		100075 old 75438-00	DIN 80 coding pin green (dry)	1,40
4		100074 old 75436-00	DIN 80 coding pin yellow (wet/ dry)	1,40
11		100469 old 75070-43	DIN 80 air adapter plug (6 / 8 mm connection) · light blue	11,50
12		108649 old 75243-00	DIN 80 pilot contact set plug (incl. pilot adapter)	6,90
13		121566 old 75070-02	DIN 80/160 auxiliary contact for plug (1 pc.)	4,20
1/2/3/4/5(2x)/6		108892 old 95198-06	**DIN 80 plug · 6 mm² · grey coding · acid resistant**	15,00
		75199-03	REMA DIN 80 male – 35 mm² – red	31,50
		75199-04	REMA DIN 80 male – 25 mm² – red	20,50
		75427-04	Housing REMA DIN 80 male – incl. cable clamp – red	11,00
		95198-04	REMA DIN 80 male – 16 mm² – red	20,00
		108718 old 75427-01	DIN 80 housing plug (cable clamp, locking device) · black	ask

DIN 80 · Accessories


POS.		ORDER CODE	DESCRIPTION	€
		79811-00	Reducing Bushing REMA 16 mm² – 10 mm²	1,40
		79812-00	Reducing Bushing REMA 25 mm² – 10 mm²	1,10

POS.		ORDER CODE	DESCRIPTION	€
		75327-01	Reducing Bushing REMA 35 mm² – 10 mm²	1,50
		95244-01	Handle REMA DIN 80 – with screws M6×30 – grey	4,40
17		100441 old 95244-00	DIN 80 handle grey (clip) · acid resistant	4,10
		100047 old 75229-00	DIN 80 handle red (clip)	5,80
		100205 old 80283-10	DIN 80 holding device black	3,80
		45584324100	Handle Still euro 80	24,50
		75240-02-SD	Auxiliary contact REMA DIN 80 female – Safety Disconnect	19,00
		75289-00-SD	Pilot contacts (2 pcs.+ adapter) REMA DIN 80 female – safety disconnect	19,00
		75306-04	REMA DIN 80 female – 16 mm² with moulded handle – red	24,00
		75309-04	REMA DIN 80 female with screwed handle – 25 mm² – red	24,00
		75310-04	REMA DIN 80 female – 35 mm² – with moulded handle – red	27,50
		108683 old 75314-06	DIN 80 main contact 6 mm² for plug (1 pc.)	3,80
		108716 old 75425-04	DIN 80 housing socket (cable clamp, locking device) · fixed handle · red	10,50
17		108905 old 95239-01	DIN 80 A handle · flat · with 2 screws M6×30 · acid resistant	4,50
		95309-01-AC	REMA DIN 80 female – 35 mm² – with moulded handle, auxiliary contacts	36,50
		110884 old 75198-06	DIN 80 plug · grey coding · 6 mm² · black	ask
		110377 old 75198-10	DIN 80 plug · 10 mm² · grey coding · black	ask
		108626 old 75198-00	DIN 80 plug 16 mm² · grey coding · black	ask
		108630 old 75199-00	DIN 80 plug 25 mm² · grey coding · black	ask
		108632 old 75199-10	DIN 80 plug · 35 mm² · grey coding · black	ask
		108658 old 75306-00	DIN 80 socket · 16 mm² · grey coding · black	ask
		108659 old 75306-01	DIN 80 socket · 16 mm² · grey coding · fixed handle · black	ask
		108668 old 75309-00	DIN 80 socket 25 mm² · grey coding · black	ask
		108708 old 75342-01	DIN 80 socket 25 mm² · grey coding · black · fixed handle	ask
		108671 old 75309-10	DIN 80 socket · 35 mm² · grey coding · black	ask

POS.	ORDER CODE	DESCRIPTION	€
	108669 old 75309-01	DIN 80 socket · 35 mm² · grey coding · fixed handle · black	ask
	100052 old 75244-00	DIN 80 handle black (clip)	ask

POS.	ORDER CODE	DESCRIPTION	€
	100046 old 75228-00	DIN 80 handle red · with screws M 6 × 35	ask
17	108911 old 95239-11	DIN 80 A handle · flat · with 2 screws M6×45 · acid resistant	ask

DIN 160



DIN 160 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

DIN 160 · Socket (female)

POS.	ORDER CODE	DESCRIPTION	€
5(2x)/6/7/8/9/10	108807 old 95001-08	**DIN 160 socket · 16 mm² · grey coding · acid resistant**	27,50
5(2x)/6/7/8/9/10	108813 old 95007-08	**DIN 160 socket 25 mm² · grey coding · acid resistant**	27,50
5(2x)/6/7/8/9/10	108819 old 95012-08	**DIN 160 socket · 35 mm² · grey coding · acid resistant**	20,50
5(2x)/6/7/8/9/10	108831 old 95017-08	**DIN 160 socket · 50 mm² · grey coding · acid resistant**	28,00
5(2x)/6/7/8/9/10	95022-08	**REMA DIN 160 Female – 70 mm²**	40,50
5/6/7/9	108836 old 95026-01	**DIN 160 housing socket (cable clamp, locking device) · acid resistant**	9,80
8	108543 old 75021-01	DIN 160 main contact 16 mm² for socket (1 pc.)	13,50
8	108544 old 75022-01	DIN 160 main contact 25 mm² for socket (1 pc.)	9,50
8	108546 old 75023-01	DIN 160 main contact 35 mm² for socket (1 pc.)	9,50
8	108548 old 75024-01	DIN 160 main contact 50 mm² for socket (1 pc.)	9,60
8	108549 old 75024-05	DIN 160 main contact 70 mm² for socket (1 pc.)	16,50
10	100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
10	120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
10	100021 old 75057-95	DIN 160/320/640 coding pin blue for socket (Li-Ion)	ask
14	100464 old 75070-12	DIN 160 air adapter socket (6 / 8 mm connection) · light blue	13,00

POS.	ORDER CODE	DESCRIPTION	€
15	108609 old 75068-03	DIN 160 pilot contact set socket (incl. pilot adapter)	10,50
5(2x)/6/8/9/10/18	108806 old 95001-01	**DIN 160 socket · 16 mm² · grey coding · fixed handle · acid resistant**	29,00
5(2x)/6/8/9/10/18	108812 old 95007-01	**DIN 160 socket 25 mm² · grey coding · acid resistant · fixed handle**	29,50
5(2x)/6/8/9/10/18	108818 old 95012-01	**DIN 160 socket · 35 mm² · grey coding · fixed handle · acid resistant**	29,50
5(2x)/6/8/9/10/18	108826 old 95017-01	**DIN 160 socket · 50 mm² · grey coding · fixed handle · acid resistant**	21,50
5(2x)/6/8/9/10/18	108829 old 95017-05	**DIN 160 socket 70 mm² · grey coding · acid resistant · fixed handle**	41,50
18	108837 old 95026-04	DIN 160 housing socket (cable clamp, locking device) · fixed handle · acid resistant	12,00
	108553 old 75026-01	DIN 160 housing socket (cable clamp, locking device) · black	ask
	108554 old 75026-04	DIN 160 housing socket (cable clamp, locking device) · black · fixed handle	ask

DIN 160 · Plug (male)

POS.	ORDER CODE	DESCRIPTION	€
1/2/3/4/5(2x)/6	108845 old 95029-01	**DIN 160 plug · 16 mm² · grey coding · acid resistant**	24,50
1/2/3/4/5(2x)/6	108851 old 95034-01	**DIN 160 plug · 25 mm² · grey coding · acid resistant**	24,00

POS.		ORDER CODE	DESCRIPTION	€
1/2/3/4/ 5(2x)/6		108858 old 95039-01	**DIN 160 plug · 35 mm² · grey coding · acid resistant**	24,50
1/2/3/4/ 5(2x)/6		108865 old 95044-01	**DIN 160 plug · 50 mm² · grey coding · acid resistant**	24,50
1/2/3/4/ 5(2x)/6		108868 old 95044-04	**DIN 160 plug · grey coding · 70 mm² · acid resistant**	38,00
1/3/4/ 5(2x)/6		108873 old 95053-01	**DIN 160 housing plug (cable clamp, locking device) · acid resistant**	9,80
2		108585 old 75048-10	DIN 160 main contact 10 mm² plug (1 pc.)	6,30
2		108583 old 75048-01	DIN 160 main contact 16 mm² plug (1 pc.)	7,40
2		108587 old 75049-01	DIN 160 main contact 25 mm² plug (1 pc.)	7,60
2		108589 old 75050-01	DIN 160 main contact 35 mm² plug (1 pc.)	7,60
2		108591 old 75051-01	DIN 160 main contact 50 mm² for plug (1 pc.)	7,70
2		108592 old 75051-05	DIN 160 main contact 70 mm² for plug (1 pc.)	14,00
4		100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
4		120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
4		100020 old 75057-90	DIN 160/320/640 coding pin blue for plug (Li-Ion)	2,20
4		120921 old 75231-01	DIN 160/ 320/640 coding pin yellow (wet/ dry)	1,40
11		100465 old 75070-13	DIN 160 air adapter plug (6 / 8 mm connection) · light blue	13,50
12		108610 old 75070-03	DIN 160 pilot contact set plug (incl. pilot adapter)	7,30
13		121566 old 75070-02	DIN 80/160 auxiliary contact for plug (1 pc.)	4,20
1/2/3/4/ 5(2x)/6		108846 old 95029-10	**DIN 160 plug · 10 mm² · grey coding · acid resistant**	25,50
		108594 old 75053-01	DIN 160 housing plug (cable clamp, locking device) · black	ask

DIN 160 · Accessories


POS.		ORDER CODE	DESCRIPTION	€
		79811-00	Reducing Bushing REMA 16 mm² – 10 mm²	1,40
		79812-00	Reducing Bushing REMA 25 mm² – 10 mm²	1,10
		75327-01	Reducing Bushing REMA 35 mm² – 10 mm²	1,50
17		108879 old 95066-65	DIN 160 handle grey · bended · with 4 screws · acid resistant	5,00
17		108881 old 95066-68	DIN 160/ 320 handle grey · bended · with 8 screws for DIN 160/ 320 · acid resistant	5,10
		108601 old 75066-66	DIN 160 handle red · bended · with 4 screws	ask

POS.		ORDER CODE	DESCRIPTION	€
17		108910 old 95239-07	DIN 160 handle · flat · with 2 screws + lock. nut · acid resistant	5,20
		100206 old 80283-11	DIN 160 holding device black	4,10
		108042	Air adapter REMA DIN 160 female – short version	15,50
		115724 old 77640-00	DIN 160 A aux cont. for socket	7,30
		45624324100	Handle Still DIN 160	38,50
		108604 old 75066-69	DIN 160/ 320 handle red · bended · with 8 screws for DIN 160/ 320	5,10
		75068-03-SD	REMA DIN 160 pilot contacts (2 pieces) for female connector – including pilot contact adapter and safety disconnect	19,00
14		108037 old 75079-12	DIN 160 A air adapter socket (6 / 9 mm connection) · light blue	13,00
11		100473 old 75079-13	DIN 160 air adapter plug (6 / 9 mm connection) · light blue	14,00
		77640-00-SD	Auxiliary contact REMA DIN 160 female – safety disconnect	24,00
		95017-01-AC	REMA DIN 160 female – 50 mm² – with moulded handle, aux. contacts	48,00
		95030-01	REMA DIN 160 male – 16 mm² – incl. screwed handle	29,50
		95035-01	REMA DIN 160 male – 25 mm² – incl. screwed handle	30,00
		95039-09	REMA DIN 160 male – 35 mm² – incl. green coding pin	24,00
		95040-01	REMA DIN 160 male – 35 mm² – incl. screwed handle	30,00
		95045-01	REMA DIN 160 male – 50 mm² – incl. screwed handle	30,00
		95066-92	Handle DIN 160/320, excl. screws	4,60
		95066-93	Handle REMA DIN 160 – 4 bolts 40 mm + security nuts	4,70
		108556 old 75029-10	DIN 160 plug 10 mm² · grey coding · black	ask
		108555 old 75029-01	DIN 160 plug 16 mm² · grey coding · black	ask
		108561 old 75034-01	DIN 160 plug 25 mm² · grey coding · black	ask
		108569 old 75039-01	DIN 160 plug 35 mm² · grey coding · black	ask
		108577 old 75044-01	DIN 160 plug · 50 mm² · grey coding · black	ask
		108578 old 75044-04	DIN 160 plug · grey coding · 70 mm² · black	ask

POS.	ORDER CODE	DESCRIPTION	€
5(2x)/6/ 7/8/9/10	**108832** old 95017-09	**DIN 160 socket · grey coding · 70 mm² · acid resistant**	ask
	108517 old 75001-08	DIN 160 socket 16 mm² · grey coding · black	ask
	108516 old 75001-01	DIN 160 socket 16 mm² · grey coding · fixed handle · black	ask
	108521 old 75007-08	DIN 160 socket · grey coding · 25 mm² · black	ask
	108520 old 75007-01	DIN 160 socket · grey coding · 25 mm² · black · fixed handle	ask
	108529 old 75012-08	DIN 160 socket 35 mm² · black · grey coding	ask
	108527 old 75012-01	DIN 160 socket 35 mm² · grey coding · fixed handle · black	ask

POS.	ORDER CODE	DESCRIPTION	€
	108538 old 75017-08	DIN 160 socket · 50 mm² · grey coding · black	ask
	108536 old 75017-01	DIN 160 socket · 50 mm² · grey coding · fixed handle · black	ask
16	121568	DIN 160 auxiliary contact socket (1 pc.)	ask
17	108906 old 95239-02	DIN 160 handle · flat · with 2 screws · acid resistant	ask
	108600 old 75066-65	DIN 160 handle black · bended · with 4 screws	ask
	108647 old 75239-02	DIN 160 handle flat black · with 2 screws	ask
	108599 old 75066-63	DIN 160/ 320 handle black · bended · with 8 screws for DIN 160/ 320	ask

DIN 320



DIN 320 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

DIN 320 · Socket (female)

POS.	ORDER CODE	DESCRIPTION	€
5(2x)/6/ 7/8/9/10	**108972** old 95601-01	**DIN 320 socket 50 mm² · grey coding · acid resistant**	26,50
5(2x)/6/ 7/8/9/10	**108975** old 95605-01	**DIN 320 socket 70 mm² · grey coding · acid resistant**	37,00
5(2x)/6/ 7/8/9/10	**108979** old 95610-01	**DIN 320 socket · grey coding · 95 mm² · acid resistant**	81,50
5/6/7/9	**108988** old 95700-01	**DIN 320 housing socket (cable clamp, locking device) · acid resistant**	12,00
8	108772 old 75660-01	DIN 320 main contact 50 mm² for socket (1 pc.)	13,50
8	108775 old 75665-01	DIN 320 main contact 70 mm² for socket (1 pc.)	13,50
8	120444 old 75670-01	DIN 320 main contact 95 mm² for socket (1 pc.)	26,50
10	100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
10	120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40

POS.	ORDER CODE	DESCRIPTION	€
10	100021 old 75057-95	DIN 160/320/640 coding pin blue for socket (Li-Ion)	ask
14	100466 old 75070-32	DIN 320 air adapter socket (6 / 8 mm connection) · light blue	13,00
15	108749 old 75591-00	DIN 320/640 pilot contact set socket (incl. pilot adapter)	10,50
16	75590-02	Auxiliary Contact REMA DIN 320/640 Female	5,00
	108989 old 95700-37	DIN 320 housing socket (cable clamp, locking device) · fixed handle · acid resistant	ask
	108782 old 75700-01	DIN 320 housing socket (cable clamp, locking device) · black	ask

DIN 320 · Plug (male)

POS.	ORDER CODE	DESCRIPTION	€
1/2/3/4/ 5(2x)/6	**108952** old 95500-01	**DIN 320 plug · 50 mm² · grey coding · acid resistant**	32,50
1/2/3/4/ 5(2x)/6	**108957** old 95505-01	**DIN 320 plug 70 mm² · grey coding · acid resistant**	32,50


POS.		ORDER CODE	DESCRIPTION	€
1/2/3/4/ 5(2x)/6		108960 old 95510-01	**DIN 320 plug · grey coding · 95 mm² · acid resistant**	66,50
1/3/ 5(2x)/6		108969 old 95600-01	**DIN 320 housing plug (cable clamp, locking device) · acid resistant**	12,00
2		108739 old 75560-01	DIN 320 main contact 50 mm² for plug (1 pc.)	10,50
2		108743 old 75565-01	DIN 320 main contact 70 mm² for plug (1 pc.)	11,00
2		111105 old 75570-01	DIN 320 main contact 95 mm² for plug (1 pc.)	30,00
4		100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
4		120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
4		100020 old 75057-90	DIN 160/320/640 coding pin blue for plug (Li-Ion)	2,20
4		120921 old 75231-01	DIN 160/ 320/640 coding pin yellow (wet/ dry)	1,40
11		100467 old 75070-33	DIN 320 air adapter plug (6 / 8 mm connection) · light blue	13,50
12		108751 old 75596-00	DIN 320/640 pilot contact set plug (incl. pilot adapter)	8,60
13		75595-01	Auxiliary Contact REMA DIN 320/640 Male	3,40
		108720 old 75500-01	DIN 320 plug · 50 mm² · grey coding · black	30,50
		108752 old 75600-01	DIN 320 housing plug (cable clamp, locking device) · black	ask

DIN 320 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
		79817-00	Reducing Bushing REMA 50 mm² – 35 mm²	2,10
		79816-00	Reducing Bushing REMA 50 mm² – 25 mm²	1,80
		77605-00	Reducing Bushing REMA 50 mm² – 16 mm²	3,60
17		108880 old 95066-67	DIN 320 handle grey · bended · with 4 screws · acid resistant	5,00
17		108881 old 95066-68	DIN 160/ 320 handle grey · bended · with 8 screws for DIN 160/ 320 · acid resistant	5,10
		108603 old 75066-68	DIN 320 handle red · bended · with 4 screws	ask
		95239-05	Screwed Flat Handle REMA DIN 320 – 2 bolts 50 mm, security nuts	4,80
		100207 old 80283-12	DIN 320 holding device	4,40

POS.	ORDER CODE	DESCRIPTION	€
	75590-55-SD	Auxiliary contact REMA DIN 320/640 female – safety disconnect	19,00
	75591-00-SD	Pilot contacts (2 pcs.+ adapter) REMA DIN 320/640 female – safety disconnect	19,00
	95066-94	Handle REMA DIN 320 – 4 bolts 50 mm + security nuts	4,70
	95066-95	REMA DIN 320 handle – including 4 screws M6 x 40, 4 screws M6 × 50 and 4 locknuts	12,00
	95066-96	Handle REMA DIN 320 – 4 bolts 45mm + security nuts	4,70
	95500-02	REMA DIN 320 male – 50 mm² – incl. screwed handle	37,50
	95505-02	REMA DIN 320 male – 70 mm² – incl. screwed handle	37,50
	95510-02	REMA DIN 320 male – 95 mm² – incl. screwed handle	71,50
	95601-05	REMA DIN 320 female – 50 mm² – incl. screwed handle	42,00
	95605-02	REMA DIN 320 female – 70 mm² – incl. screwed handle	42,50
	95610-05	REMA DIN 320 female – 95 mm² – incl. screwed handle	86,00
	108723 old 75505-01	DIN 320 plug · 70 mm² · grey coding · black	ask
	108725 old 75510-01	DIN 320 plug · grey coding · 95 mm² · black	ask
	108754 old 75601-01	DIN 320 socket 50 mm² · grey coding · black	ask
	108756 old 75605-01	DIN 320 socket · 70 mm² · grey coding · black	ask
	108758 old 75610-01	DIN 320 socket · grey coding · 95 mm² · black	ask
13	121563	DIN 320/640 auxiliary contact plug (1 pc.)	ask
17	108908 old 95239-04	DIN 320 handle · flat · with 2 screws · acid resistant	ask
	108602 old 75066-67	DIN 320 handle black · bended · with 4 screws	ask
	108607 old 75067-00	DIN 320 handle red · flat · with 2 screws · only for DIN 320 A	ask
16	121565	DIN 320 auxiliary contact socket (1 pc.)	ask

DIN 640



DIN 640 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

DIN 640 · Socket (female)

POS.	ORDER CODE	DESCRIPTION	€
5(2x)/6/ 7/8/9/10	**111165** old 95950-30	**DIN 640 socket 70 mm² · grey coding · acid resistant**	214,00
5(2x)/6/ 7/8/9/10	**111164** old 95950-20	**DIN 640 socket · grey coding · 95 mm² · acid resistant**	242,00
5(2x)/6/ 7/8/9/10	**111163** old 95950-10	**DIN 640 socket · grey coding · 120 mm² · acid resistant**	242,00
5(2x)/6/ 7/8/9/10	**108996** old 95950-00	**DIN 640 socket · grey coding · 240 mm² · acid resistant**	242,00
10	100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
10	120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
10	100021 old 75057-95	DIN 160/320/640 coding pin blue for socket (Li-Ion)	ask
14	100466 old 75070-32	DIN 320 air adapter socket (6 / 8 mm connection) · light blue	13,00
15	108749 old 75591-00	DIN 320/640 pilot contact set socket (incl. pilot adapter)	10,50
16	75590-02	Auxiliary Contact REMA DIN 320/640 Female	5,00
17	M93320-74	Auxiliary Contact REMA MRC 320 Female – 2 pieces	12,00

DIN 640 · Plug (male)

POS.	ORDER CODE	DESCRIPTION	€
1/2/3/4/ 5(2x)/6	**111162** old 95850-30	**DIN 640 plug 70 mm² · grey coding · acid resistant**	288,00
1/2/3/4/ 5(2x)/6	**111161** old 95850-20	**DIN 640 plug · grey coding · 95 mm² · acid resistant**	305,00
1/2/3/4/ 5(2x)/6	**111160** old 95850-10	**DIN 640 plug · grey coding · 120 mm² · acid resistant**	315,00
1/2/3/4/ 5(2x)/6	**108995** old 95850-00	**DIN 640 plug · grey coding · 240 mm² · acid resistant**	288,00
4	100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
4	120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
4	100020 old 75057-90	DIN 160/320/640 coding pin blue for plug (Li-Ion)	2,20
4	120921 old 75231-01	DIN 160/ 320/640 coding pin yellow (wet/ dry)	1,40
11	100467 old 75070-33	DIN 320 air adapter plug (6 / 8 mm connection) · light blue	13,50
12	108751 old 75596-00	DIN 320/640 pilot contact set plug (incl. pilot adapter)	8,60
13	75595-01	Auxiliary Contact REMA DIN 320/640 Male	3,40

DIN 640 · Accessories				
POS.		ORDER CODE	DESCRIPTION	€
18		108994 old 95800-11	DIN 640 A handle · with 4 screws · acid resistant	13,50
		TOY-640-SCR	screws	ask
1/2/3/4/ (5(2x)/6		113901	**REMA DIN 640 male – 4/0 AWG – incl. grey coding pin**	458,00
5(2x)/6/ 7/8/9/10		113902	**REMA DIN 640 female – 4/0 AWG – incl. grey coding pin**	329,00
		75802-40	Main contact REMA DIN 640 male – 240 mm²	85,00
		95850-30-AC	REMA DIN 640 male – 70 mm² – incl. grey coding pin – with Auxiliary contacs	328,00

RCC

RCC connectors		
ORDER CODE	DESCRIPTION	€
112033	Housing REMA RCC 320 female – incl. cable clamp	26,00
112034	Housing REMA RCC 320 male – incl. cable clamp	26,50
112035	REMA RCC 320 female – 70 mm²	55,50
110255 old 95983-00	RCC 80 plug housing with yellow coding pin · light grey	9,30
110256 old 95983-02	RCC 80 plug · grey coding · 25 mm² · light grey	17,50
110257 old 95983-50	RCC 80 socket housing · grey + green coding · light grey	10,50
110258 old 95983-52	RCC 80 socket · grey coding · 25 mm² · light grey	23,00

ORDER CODE	DESCRIPTION	€
110259 old 95984-00	RCC 160 plug housing · yellow coding · light grey	13,50
110260 old 95984-05	RCC 160 plug 50 mm² · grey coding · light grey	27,50
110261 old 95984-50	RCC 160 socket housing · grey + green coding · light grey	16,00
95984-52	REMA RCC 160 female – 25 mm²	45,50
95984-53	RCC 160 A – 35 mm² – Socket	33,50
110262 old 95984-55	RCC 160 socket 50 mm² · grey coding · light grey	33,50
123074	RCC 160 plug housing · without coding pin · light grey	ask
123075	RCC 320 plug housing · without coding pin · light grey	ask

Reducing bushings

Reducing bushings (all DIN sizes)			
	ORDER CODE	DESCRIPTION	€
	79811-00	Reducing Bushing REMA 16 mm² – 10 mm²	1,40
	79812-00	Reducing Bushing REMA 25 mm² – 10 mm²	1,10
	75327-01	Reducing Bushing REMA 35 mm² – 10 mm²	1,50
	79817-00	Reducing Bushing REMA 50 mm² – 35 mm²	2,10
	79816-00	Reducing Bushing REMA 50 mm² – 25 mm²	1,80
	77605-00	Reducing Bushing REMA 50 mm² – 16 mm²	3,60
	76935-00	Reducing bushing 35 mm² – 16 mm²	ask

	ORDER CODE	DESCRIPTION	€
	76925-00	Reducing bushing 35 mm² – 25 mm²	2,70
	78326-00	Reducing bush REMA 12 mm² – 8 mm²	2,40
	79810-00	Reducing bushing REMA 16 mm² – 6 mm²	1,20
	79813-00	Reducing bushing REMA 25 mm² – 16 mm²	1,40
	79830-00	Reducing bush REMA AWG6 – AWG10 (13,3-5,3 mm²)	0,90
	79832-00	Reducing bush REMA AWG4 (21,2 mm²) – AWG8 (8,4 mm²)	2,40
	79833-00	Reducing bush REMA AWG4 (21,2 mm²) – AWG6 (13,3 mm²)	2,40
	79834-00	Reducing bush REMA AWG2 (33,3 mm²) – AWG6 (13,3 mm²)	2,40

ORDER CODE	DESCRIPTION	€
79836-00	Reducing bush REMA AWG1/0 (53,5 mm²) – AWG4 (21,2 mm²)	**2,50**
79837-00	Reducing bushing REMA AWG1/0 – AWG2 (53,5-33,6 mm²)	**2,50**
79840-00	Reducing bush REMA AWG6 (13,3 mm²) – 6 mm²	**0,90**
79844-00	Reducing bushing REMA AWG2 (33,6 mm²) – 16 mm²	**2,20**

ORDER CODE	DESCRIPTION	€
79846-00	Reducing bush REMA AWG1/0 (53,5 mm²) – 25 mm²	**7,50**
79847-00	Reducing bush REMA AWG1/0 (53,5 mm²) – 35 mm²	**7,10**
79998-00	Reducing bushing 70 mm² – 35 mm²	**2,40**
79999-00	Reducing bushing REMA 70 mm² – 50 mm²	**1,70**

02

MRC high-current connectors

MRC 80/120 · MRC 160/250 · MRC 320/400


Patented high-power connectors for quick and opportunity charging of large batteries. A gas-tight connection between cable and housing gives a higher current rating than standard DIN connectors. Supplied as pre-assembled cables; housings mate with DIN 80, 160 and 320, and all DIN coding pins, pilot and auxiliary contacts fit.



STANDARD	CABLE	MATES WITH	SUPPLY
DIN VDE 0623-589 · EN 1175	16 – 95 mm²	DIN 80 / 160 / 320	Pre-assembled cables

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked "ask": **request a quote**.

MRC 80/120



BATTERY ACID RESISTANT

MRC 80/120 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

MRC 80/120 · Socket (female)

POS.		ORDER CODE	DESCRIPTION	€
2		M93080-48	Coding Pin Support for REMA MRC 80 Female	1,80
2		M93080-53	Coding Pin Support for REMA MRC 120 Female	4,00
3		100072 old 75435-00	DIN 80 coding pin grey (wet)	1,40
3		100075 old 75438-00	DIN 80 coding pin green (dry)	1,40
3		M75057-65	MRC 120 Coding Pin Female – red	ask
4/5		108657 old 75289-00	**DIN 80 pilot contact set socket (incl. pilot adapter)**	10,50
4a		100468 old 75070-42	DIN 80 air adapter socket (6 / 8 mm connection) · light blue	11,50
6		M93080-74	Auxiliary Contact REMA MRC 80 Female – 2 pieces	12,00
2		110116	MRC 80 – Locking part current rating I (80A) – socket	ask
2		111341	MRC 80 – Locking part current rating II (120A) – socket	ask
3		111344	MRC 80 – High power coding pin red (wet) – socket	ask
3		114345	MRC 80 – High power coding pin blue (dry) – socket	ask
4		100035	MRC 80 – Adapter for pilot contacts – socket	ask
5		111104	MRC 80 – Pilot contact 2,5 mm² – socket	ask
6		120744	MRC 80 – Auxiliary contact 1,5 mm² – socket	ask
7		102586	MRC 80 – Handle incl. screws (set) – socket	ask

MRC 80/120 · Plug (male)


POS.	ORDER CODE	DESCRIPTION	€
2	M93080-04	Coding Pin Support for REMA MRC 80 Male	ask

POS.		ORDER CODE	DESCRIPTION	€
2		M93080-05	Coding Pin Support for REMA MRC 120 Male	ask
3		100072 old 75435-00	DIN 80 coding pin grey (wet)	1,40
3		100075 old 75438-00	DIN 80 coding pin green (dry)	1,40
3		100074 old 75436-00	DIN 80 coding pin yellow (wet/ dry)	1,40
3		M75057-60	MRC 120 Coding Pin – Male – red	ask
4/5		108649 old 75243-00	**DIN 80 pilot contact set plug (incl. pilot adapter)**	6,90
4a		100469 old 75070-43	DIN 80 air adapter plug (6 / 8 mm connection) · light blue	11,50
6		M93080-44	Auxiliary Contact REMA MRC 80 Male – 2 pieces	14,00
2		110108	MRC 80 – Locking part current rating I (80A) – plug	ask
2		111340	MRC 80 – Locking part current rating II (120A) – plug	ask
3		111343	MRC 80 – High power coding pin red (wet) – plug	ask
3		114346	MRC 80 – High power coding pin blue (dry) – plug	ask
4		100036	MRC 80 – Adapter for pilot contacts – plug	ask
5		102664	MRC 80 – Pilot contact 2,5 mm² – plug	ask
6		120743	MRC 80 – Auxiliary contact 1,5 mm² – plug	ask
7		100528	MRC 80 – Handle to screw – plug	ask
7		109055	MRC 80 – Handle incl. screws (set) – plug	ask

MRC 80/120 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
17		100441 old 95244-00	DIN 80 handle grey (clip) · acid resistant	4,10
		95244-01	Handle REMA DIN 80 – with screws M6×30 – grey	4,40
		M93080-73	Pilot contact REMA MRC 80 receptacle – 2 pieces	12,00
		M93080-76	Air adapter REMA MRC 80 receptacle – 2 pieces	14,50
		M93080-80	Air adapter REMA MRC 80 plug – 2 pieces	14,50

MRC 160/250



MRC 160/250 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

MRC 160/250 · Socket (female)

POS.		ORDER CODE	DESCRIPTION	€
2		M93160-48	Coding Pin Support for REMA MRC 160 Female	1,80
2		M93160-53	Coding Pin Support for REMA MRC 250 Female	3,00
3		100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
3		120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
3		M75057-75	MRC250 Coding Pin – Female – red	8,30
3		104594	MRC250 Coding Pin – Female – blue	9,90
4/5		108609 old 75068-03	**DIN 160 pilot contact set socket (incl. pilot adapter)**	10,50
4a		100464 old 75070-12	DIN 160 air adapter socket (6 / 8 mm connection) · light blue	13,00
6		M93160-74	Auxiliary Contact REMA MRC 160 Female – 2 pieces	12,00
2		110138	MRC 160 – Locking part current rating I (160A) – socket	ask

POS.	ORDER CODE	DESCRIPTION	€
2	110141	MRC 160 – Locking part current rating II (250A) – socket	ask
3	109630	MRC 160 – High power coding pin red (wet) – socket	ask
4	100029	MRC 160 – Adapter for pilot contacts – socket	ask
5	108608	MRC 160 – Pilot contact 2,5 mm² – socket	ask
6	120746	MRC 160 – Auxiliary contact 1,5 mm² – socket	ask

MRC 160/250 · Plug (male)


POS.	ORDER CODE	DESCRIPTION	€
2	M93160-04	Coding Pin Support for REMA MRC 160 Male	1,80
2	M93160-05	Coding Pin Support for REMA MRC 250 Male	4,20
3	100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
3	120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
3	120921 old 75231-01	DIN 160/ 320/640 coding pin yellow (wet/ dry)	1,40
3	M75057-70	MRC250 Coding Pin – Male – red	9,90
3	104593	MRC250 Coding pin – Male – blue	9,90
4	M93160-44	Auxiliary Contact REMA MRC 160 Male – 2 pieces	8,30
4a	100465 old 75070-13	DIN 160 air adapter plug (6 / 8 mm connection) · light blue	13,50
5	108610 old 75070-03	DIN 160 pilot contact set plug (incl. pilot adapter)	7,30

POS.	ORDER CODE	DESCRIPTION	€
2	110131	MRC 160 – Locking part current rating I (160A) – plug	ask
2	110132	MRC 160 – Locking part current rating II (250A) – plug	ask
3	100049	MRC 160 – Coding pin green (dry) – plug	ask
3	100048	MRC 160 – Coding pin yellow (wet + dry)	ask
3	109629	MRC 160 – High power coding pin red (wet) – plug	ask
4	100030	MRC 160 – Adapter for pilot contacts – plug	ask
5	102640	MRC 160 – Pilot contact 2,5 mm² – plug	ask
6	120745	MRC 160 – Auxiliary contact 1,5 mm² – plug	ask

MRC 160/250 · Accessories

POS.	ORDER CODE	DESCRIPTION	€
17	108879 old 95066-65	DIN 160 handle grey · bended · with 4 screws · acid resistant	5,00
	M93160-21	Auxiliary contact REMA MRC 160 plug	5,40
	M93160-43	Pilot contact REMA MRC 160 plug – 2 pieces	10,50
	M93160-73	Pilot contact REMA MRC 160 receptacle – 2 pieces	12,50
	M93160-76	Air adapter REMA MRC 160 receptacle – 2 pieces	16,00
	M93160-80	Air adapter REMA MRC 160 plug – 2 pieces	16,50

MRC 320/400



MRC 320/400 PLUG AND SOCKET – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

MRC 320/400 · Socket (female)

POS.	ORDER CODE	DESCRIPTION	€

2	M93320-48	Coding Pin Support for REMA MRC 320 Female	1,80
2	M93320-53	Coding Pin Support for REMA MRC 400 Female	4,00

3		100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
3		120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
3		M75057-85	MRC400 Coding Pin Female – red	9,90
3		111376	MRC400 Coding Pin Female – blue	11,50
4/5		108749 old 75591-00	**DIN 320/640 pilot contact set socket (incl. pilot adapter)**	10,50
4a		100466 old 75070-32	DIN 320 air adapter socket (6 / 8 mm connection) · light blue	13,00
6		M93320-74	Auxiliary Contact REMA MRC 320 Female – 2 pieces	12,00
2		110162	MRC 320 – Locking part current rating I (320A) – socket	ask
2		110165	MRC 320 – Locking part current rating II (400A) – socket	ask
3		109632	MRC 320 – High power coding pin red (wet) – socket	ask
4		100033	MRC 320 – Adapter for pilot contacts – socket	ask
5		108747	MRC 320 – Pilot contact 2,5 mm² – socket	ask
6		120748	MRC 320 – Auxiliary contact 1,5 mm² – socket	ask

MRC 320/400 · Plug (male)

POS.		ORDER CODE	DESCRIPTION	€
2		M93320-04	Coding Pin Support for REMA MRC 320 Male	1,80
2		M93320-05	Coding Pin Support for REMA MRC 400 Male	4,00
3		100015 old 75057-01	DIN 160/ 320/640 coding pin grey (wet)	1,40
3		120922 old 75233-01	DIN 160/ 320/640 coding pin green (dry)	1,40
3		120921 old 75231-01	DIN 160/ 320/640 coding pin yellow (wet/ dry)	1,40
3		M75057-80	MRC400 Coding Pin Male – red	9,90
3		111375	MRC400 Coding Pin Male – blue	9,90
4/5		108751 old 75596-00	**DIN 320/640 pilot contact set plug (incl. pilot adapter)**	8,60
4a		100467 old 75070-33	DIN 320 air adapter plug (6 / 8 mm connection) · light blue	13,50
6		M93320-44	Auxiliary contact REMA MRC 320 plug – 2 pieces	10,50
2		110156	MRC 320 – Locking part current rating I (320A) – plug	ask
2		110157	MRC 320 – Locking part current rating II (400A) – plug	ask
3		109631	MRC 320 – High power coding pin red (wet) – plug	ask
4		100034	MRC 320 – Adapter for pilot contacts – plug	ask
5		102691	MRC 320 – Pilot contact 2,5 mm² – plug	ask
6		120747	MRC 320 – Auxiliary contact 1,5 mm² – plug	ask

MRC 320/400 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
17		108880 old 95066-67	DIN 320 handle grey · bended · with 4 screws · acid resistant	5,00
		M93320-43	Pilot contact REMA MRC 320 plug – 2 pieces	10,50
		M93320-73	Pilot contact REMA MRC 320 receptacle – 2 pieces	12,00
		M93320-76	Air adapter REMA MRC 320 receptacle – 2 pieces	16,50
		M93320-80	Air adapter REMA MRC 320 plug – 2 pieces	17,50

03

FT motor connectors


FT 80

Compact motor connectors with low losses for golf carts, personnel carriers, floor-cleaning machines, boats and leisure vehicles. Crimp contacts in E-Cu copper.




RATING	CABLE	STANDARD	CONTACTS
80 A	16 – 25 mm²	EN 1175-1	Crimp, E-Cu

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked “ask”: **request a quote**.



SOCKET (FEMALE) · NUMBERS = POS. IN THE TABLES



PLUG (MALE) · NUMBERS = POS. IN THE TABLES

FT 80 · Socket (female)

POS.	ORDER CODE	DESCRIPTION	€
4/6/7/8/9/14	109102 old 81200-00	**FT 80 socket · 16 mm²**	ask
4/6/7/8/9/14	109103 old 81201-00	**FT 80 socket · 25 mm² · red coding · black**	ask
4/6/7/8/9/13/14	81205-00	**FT 80 Female – 16 mm² – incl. Handle**	ask
4/6/7/8/9/13/14	81206-00	**FT 80 Female – 25 mm² – incl. Handle**	ask
4	100210 old 81236-00	FT 80 coding pin red	ask
7	109117 old 81232-00	FT 80 contact 16 mm² for socket (1 pc.)	ask
7	109120 old 81234-00	FT 80 contact 25 mm² for socket (1 pc.)	ask
12	103149 old 81243-00	Pilot contact for FT 80 socket (1 pc.)	ask
13	109124 old 81235-00	FT 80 handle red	ask

FT 80 · Plug (male)

POS.	ORDER CODE	DESCRIPTION	€
1/2/3/4/5	109111 old 81220-00	**FT 80 plug · 16 mm²**	ask
1/2/3/4/5	109112 old 81221-00	**FT 80 plug · 25 mm² · red coding · black**	ask
2	109126 old 81242-00	FT 80 contact 16 mm² for plug (1 pc.)	ask
2	109129 old 81244-00	FT 80 contact 25 mm² for plug (1 pc.)	ask
4	100210 old 81236-00	FT 80 coding pin red	ask
10	103150 old 81245-00	Pilot contact for FT 80 plug (1 pc.)	ask

04

JH twin connectors


JH 160 · JH 200

Proven two-pole connectors for trailer-to-tractor and battery connections on road trucks. Spring-loaded pins slide into sleeves for very low contact resistance; robust, humidity-, acid- and UV-resistant.



SIZES	CABLE	TYPES	USE
160 · 200 A	35 · 50 mm²	A – G	Battery · truck · charger

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked "ask": **request a quote**.



BATTERY PLUG FORM A – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

JH · Twin connectors

POS.		ORDER CODE	DESCRIPTION	€
		**107301** old 76250-00	Battery plug compl. 35 mm² · type A · black	ask
		**107302** old 76251-00	Battery plug compl. 50 mm² · type A · black	81,00
		**107305** old 76350-00	Vehicle socket compl. 35 mm² · type B · black	ask
		**107306** old 76351-00	2pole vehicle socket compl. 50 mm² · type B · black	ask
		**107307** old 76460-00	2pole charger socket compl. 35 mm² · type C · black	ask
		**107308** old 76470-00	2pole charger socket compl.50 mm² · type C · black	ask
		**107332** old 77350-00	Vehicle plug compl. 35 mm² · type D · black	ask
		**107333** old 77351-00	2pole vehicle plug compl. 50 mm² · type D · black	ask
		**107334** old 77360-00	2pole vehicle plug compl. 35 mm² · type E · black	ask
		**107335** old 77361-00	2pole vehicle plug compl. 50 mm² · type E · black	ask
		**107337** old 77460-00	2pole charger plug compl. 35 mm² · type F	ask
		**107338** old 77461-00	2pole charger plug compl. 50 mm² · type F · black	ask
		**107330** old 77250-00	2pole battery socket compl. 35 mm² · type G · black	ask
		**107331** old 77251-00	2pole battery socket compl. 50 mm² type G · black	ask
1		**100090**	JH 160/200 – Housing plug form A	ask
1		**100097**	JH 160/200 – Housing socket form B	ask
1		**100102**	JH 160/200 – Housing socket form C	ask

JH · Accessories

POS.		ORDER CODE	DESCRIPTION	€
		**76935-00**	Reducing bushing 35 mm² – 16 mm²	ask
		**76925-00**	Reducing bushing 35 mm² – 25 mm²	2,70
2		**107316** old 76765-00	Contact male 160/200 A · 35 mm²	ask
2		**107317** old 76766-00	Contact male 160/200 A · 50 mm²	ask
2		**107322** old 76915-00	Contact female 160/200 A · 35 mm²	ask
2		**107325** old 76916-00	Contact female 160/200 A · 50 mm²	ask
		**107318** old 76850-00	Cable clamp for 2pole connectors · black	ask
3		**100107** old 76947-00	Retaining pin · 33,5 mm	ask
6		**100106** old 76946-00	Retaining pin · 30,5 mm	ask
3		**100110**	JH 160/200 – Cable clamp UP	ask
4		**107339**	JH 160/200 – Cable clamp LP	ask
5		**102656**	JH 160/200 – Screw	ask

05

SR connectors

SR 50 · SR 175 · SR 350


Genderless power connectors for battery vehicles, chargers and other DC applications. Plug and socket share one housing, and the housing colour marks the operating voltage so only matching voltages can mate. Contacts sized in AWG, silver-plated Cu-ETP, for crimping.



SIZES	CABLE	CODING	APPROVALS
50 · 175 · 350 A	12 AWG – 4/0 AWG	By housing colour	CE · UL recognised

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked “ask”: **request a quote**.

SR 50



SR 50 · SR 175 · SR 350 – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

SR 50 · Connector sets (housing + contacts)

HOUSING COLOUR	12-10 AWG	8 AWG	6 AWG
Grey	109317 ask	109318 ask	109316 ask
Red	109310 ask	109311 ask	109324 ask
Black	109320 ask	109321 ask	109319 ask

SR 50 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Gray	109205 old 78001-00	SR 50 housing grey	ask
Red	109206 old 78002-00	SR 50 housing red	ask
Black	109207 old 78003-00	SR 50 housing black	ask

SR 50 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
12-10 AWG	109356 old 78265-05	SR 50 contact AWG 10/12 (1 pc.) = 3,5 mm²	ask
8 AWG	109358 old 78265-10	SR 50 contact AWG 8 (1 pc.) = 8,0 mm²	ask
6 AWG	109354 old 78265-00	SR 50 contact AWG 6 (1 pc.) = 13,3 mm²	ask

SR 50 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
4		109407 old 78295-00	Handle red for SR 50 red with screws	ask
		102759 old 78295-05	Handle red for SR 50 red with screws (hook form)	ask

SR 175



CONNECTOR SETS (HOUSING + CONTACTS) · NUMBERS = POS. IN THE TABLES

SR 175 · Connector sets (housing + contacts)

HOUSING COLOUR	4 AWG	2 AWG	1/0 AWG
Grey	109328 ask	109329 ask	109327 ask
Red	109338 ask	109339 ask	109340 ask
Blue	109332 ask	109333 ask	109331 ask
Yellow	78230-00 ask	78231-00 ask	78232-00 ask
Orange	78229-00 ask	78229-01 ask	78228-00 ask

SR 175 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Gray	109208 old 78004-00	SR 175 housing grey	ask
Red	109212 old 78008-00	SR 175 housing red	ask
Blue	109209 old 78005-00	SR 175 housing blue	ask
Yellow	78007-00	Housing SR 175 – yellow	ask
Orange	78006-00	Housing SR 175 – orange	ask

SR 175 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
AWG 4	109360 old 78268-00	SR 175 contact AWG 4 (1 pc.) = 21,5 mm²	ask
AWG 2	109364 old 78270-01	SR 175 contact AWG 2 (1 pc.) = 33,6 mm²	ask
AWG 1/0	109363 old 78270-00	**SR 175 contact AWG 1/0 (1 pc.) = 53,5 mm²**	ask

SR 175 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
4		109393 old 78290-04	Handle grey SRX 175 & SRE 160 · angled · 4 screws 1/4" x 43 & screw nut	ask
4		109401 old 78291-04	Handle red SRX 175 & SRE 160 · angled · 4 screws 1/4" x 43 & screw nut	ask
3		102719 old 78010-00	Cable clamp grey for SR 175	ask
4		109392 old 78290-02	Handle grey SR 175 · angled · 2 screws 1/4" x 38	ask
4		109400 old 78291-02	Handle red SR 175 · angled · 2 screws 1/4" x 38	ask
		110912 old 78291-22	Handle red SR 175 · angled · 2 screws 1/4" x 43 & screw nut	ask
		109395 old 78290-32	Handle grey SR 175 · angled · 2 screws M6 × 40	ask
		109402 old 78291-32	Handle red SR 175 · angled · 2 screws M6 × 40	ask

SR 350



CONNECTOR SETS (HOUSING + CONTACTS) · NUMBERS = POS. IN THE TABLES

SR 350 · Connector sets (housing + contacts)

HOUSING COLOUR	1/0 AWG	2/0 AWG	3/0 AWG
Grey	109421 ask	109422 ask	109424 ask
Red	109428 ask	109429 ask	109430 ask
Blue	109425 ask	109426 ask	110390 ask
Green	78316-01 ask	78316-00 ask	78317-00 ask

SR 350 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Gray	109286 old 78135-00	SR 350 housing grey	ask
Red	109289 old 78138-00	SR 350 housing red	ask
Blue	109287 old 78136-00	SR 350 housing blue	ask
Green	78139-00	Housing SR 350 – green	ask

SR 350 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
AWG 1/0	109368 old 78273-00	**SR 350 contact AWG 1/0 (1 pc.) = 53,50 mm²**	ask
AWG 2/0	109371 old 78275-00	**SR 350 contact AWG 2/0 (1 pc.) = 67,43 mm²**	ask
AWG 3/0	102752 old 78275-05	**SR 350 contact AWG 3/0 (1 pc.) = 85,01 mm²**	ask
AWG 4/0	102753 old 78275-10	**SR 350 contact AWG 4/0 (1 pc.) = 107,43 mm²**	ask

SR 350 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
		109411 old 78297-04	Handle grey SRE 320 & SRX 350 · 4 screws 1/4" x 43 & spring wash.	ask
		109417 old 78298-04	Handle red SRE 320 & SRX 350 · 4 screws 1/4" x 43 & spring wash.	ask
4		109410 old 78297-02	Handle grey SR 350 · 2 screws 1/4" x 43 & spring wash	ask
3		102723 old 78011-00	Cable clamp grey for SR 350	ask
4		109405 old 78292-05	Handle grey SR 350 · straight · 2 screws 1/4" x 38 & spring wash	ask
4		109416 old 78298-02	Handle red SR 350 · 2 screws 1/4" x 43 & spring wash	ask
		109413 old 78297-22	Handle grey SR 350 · 2 screws M6 × 45	ask
		109420 old 78298-22	Handle red SR 350 · 2 screws M6 × 45	ask

Cable size conversion


MM²	AWG / MCM
10	8 AWG
16	6 AWG
25	4 AWG
35	2 AWG
50	1/0 AWG
70	2/0 AWG
95	3/0 AWG
120	4/0 AWG
150	300 MCM
240	500 MCM

06

SRE connectors

SRE 160 · SRE 320


Genderless connectors in metric cable sizes, with the same colour-coded voltage system as SR. Air adapters, coding pins and auxiliary contact kits available.



SIZES	CABLE	CODING	APPROVALS
160 · 320 A	16 – 95 mm²	By housing colour	CE · UL recognised

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked "ask": **request a quote**.

SRE 160



SRE 160 · SRE 320 · SRX 175 · SRX 350 – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

SRE 160 · Connector sets (housing + contacts)

HOUSING COLOUR	16 MM²	25 MM²	35 MM²	50 MM²	1/0 AWG
Red	109233 ask	109228 ask	109251 11,00	109229 ask	109250 ask
Grey	*on request*	109220 ask	109238 ask	109221 ask	109237 ask
Blue	*on request*	109222 ask	109242 ask	109223 ask	109241 ask
Black	110907 ask	109232 ask	109264 ask	109234 ask	109265 ask
Yellow	*on request*	78033-00 ask	78066-00 ask	78034-00 ask	78065-00 ask
Green	*on request*	78037-00 ask	78081-00 ask	78038-00 ask	78080-00 ask
Orange	*on request*	78031-00 ask	78061-00 ask	78032-00 ask	78060-00 ask

SRE 160 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Red	109217 old 78024-00	SRE 160 housing red	ask
Gray	109214 old 78020-00	SRE 160 housing grey	ask
Blue	109215 old 78021-00	SRE 160 housing blue	ask
Black	109219 old 78026-00	SRE 160 housing black	ask
Yellow	78023-00	Housing SRE 160 – yellow	ask
Green	78025-00	Housing SRE 160 – green	ask
Orange	78022-00	Housing SRE 160 – orange	ask


SRE 160 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
16 mm²	109382 old 78284-00	SRE 160 contact 16 mm² (1 pc.)	ask
25 mm²	109378 old 78282-00	SRE 160 contact 25 mm² (1 pc.)	ask
35 mm²	109380 old 78283-00	SRE 160 contact 35 mm² (1 pc.)	ask
50 mm²	109376 old 78281-00	SRE 160 contact 50 mm² (1 pc.)	3,10
1/0 AWG	109374 old 78280-00	**SRE 160 contact AWG 1/0 (1 pc.) = 53,5 mm²**	ask

SRE 160 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
4		109393 old 78290-04	Handle grey SRX 175 & SRE 160 · angled · 4 screws 1/4" x 43 & screw nut	ask
4		109401 old 78291-04	Handle red SRX 175 & SRE 160 · angled · 4 screws 1/4" x 43 & screw nut	ask
		109201 old 78000-00	Cable clamp grey · plastic · for SRX/ SRE 160 / 320	3,60
		108035 old 75071-10	Air adapter 6 + 8 mm · for 160 A flat connectors · light blue	ask
5		109252 old 78072-00	Coding pin (yellow)	ask
		109257 old 78079-00	Aux cont. set for SRX/ SRE (standard)	ask
		78039-03R	SRE160 – 16 mm² – red	16,50
		109398 old 78290-54	Handle grey SRX 175 & SRE 160 · angled · 4 screws M6 x 36	ask
		109396 old 78290-34	Handle grey SRX 175 & SRE 160 · angled · 4 screws M6 x 36	ask
		109403 old 78291-34	Handle red SRX 175 & SRE 160 · angled · 4 screws M6 x 36	ask

SRE 320



CONNECTOR SETS (HOUSING + CONTACTS) · NUMBERS = POS. IN THE TABLES

SRE 320 · Connector sets (housing + contacts)

HOUSING COLOUR	50 MM²	70 MM²	95 MM²	2/0 AWG	35 MM²
Red	109446 ask	109447 ask	109449 ask	109448 ask	*on request*
Grey	109438 ask	109439 ask	109441 ask	109440 ask	*on request*
Blue	109442 ask	109443 ask	109445 ask	109444 ask	78336-35 ask
Black	109455 ask	109456 ask	109458 ask	109457 ask	78349-35 ask
Yellow	78352-00 ask	78353-00 ask	78355-00 ask	78353-05 ask	*on request*
Green	78344-00 ask	78345-00 ask	78347-00 ask	78345-05 ask	*on request*
Orange	78357-00 ask	78358-00 ask	78360-00 ask	78358-05 ask	*on request*
Brown	78357-02 ask	78358-02 ask	78338-00 ask	*on request*	*on request*

SRE 320 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Red	109292 old 78151-00	SRE 320 housing red	ask
Gray	109290 old 78149-00	SRE 320 housing grey	ask
Blue	109291 old 78150-00	SRE 320 housing blue	ask
Black	109294 old 78153-00	SRE 320 housing black	ask
Yellow	78154-00	Housing SRE 320 – yellow	ask
Green	78152-00	Housing SRE 320 – green	ask
Orange	78155-00	Housing SRE 320 – orange	ask
Brown	78156-00	Housing SRE 320 – brown	ask
Purple	78157-00	Housing SRE 320 – purple	ask

SRE 320 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
35 mm²	102756 old 78286-00	SRE 320 contact 35 mm² (1 pc.)	ask
50 mm²	109199 old 77951-00	SRE 320 contact 50 mm² (1 pc.)	ask
70 mm²	109384 old 78285-00	SRE 320 contact 70 mm² (1 pc.) · short version	ask
95 mm²	109389 old 78287-00	SRE 320 contact 95 mm² (1 pc.)	ask
2/0 AWG	109385 old 78285-05	**SRE 320 contact AWG 2/0 (1 pc.)**	ask

SRE 320 · Accessories


POS.		ORDER CODE	DESCRIPTION	€
4		109410 old 78297-02	Handle grey SR 350 · 2 screws 1/4" x 43 & spring wash	ask
		109411 old 78297-04	Handle grey SRE 320 & SRX 350 · 4 screws 1/4" x 43 & spring wash.	ask
		109417 old 78298-04	Handle red SRE 320 & SRX 350 · 4 screws 1/4" x 43 & spring wash.	ask
		109201 old 78000-00	Cable clamp grey · plastic · for SRX/ SRE 160 / 320	3,60
		108036 old 75071-11	Air adapter 6 + 8 mm · for 320 A flat connectors · light blue	ask
5		109252 old 78072-00	Coding pin (yellow)	ask
		109257 old 78079-00	Aux cont. set for SRX/ SRE (standard)	ask
		109406 old 78292-15	Handle grey SRE 320 · straight · 4 screws 1/4" x 3/4 & spring wash	ask
		109412 old 78297-14	Handle grey SRE 320 & SRX 350 · 4 screws 1/4" x 43 & screw nut	ask
		109414 old 78297-24	Handle grey SRE 320 & SRX 350 · 4 screws M6 × 45	ask

07

SRX connectors

SRX 175 · SRX 350


Genderless connectors for AWG cable, sharing housings and accessories with the SRE range.



SIZES	CABLE	CODING	APPROVALS
175 · 350 A	1/0 – 4/0 AWG	By housing colour	CE · UL recognised

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked "ask": **request a quote**.

SRX 175



CONNECTOR SETS (HOUSING + CONTACTS) · NUMBERS = POS. IN THE TABLES

SRX 175 · Connector sets (housing + contacts)

HOUSING COLOUR	1/0 AWG
Red	109250 ask
Grey	109237 ask
Blue	109241 ask
Black	109265 ask
Yellow	78065-00 ask
Green	78080-00 ask
Orange	78060-00 ask

SRX 175 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Red	109217 old 78024-00	SRE 160 housing red	ask
Gray	109214 old 78020-00	SRE 160 housing grey	ask
Blue	109215 old 78021-00	SRE 160 housing blue	ask
Black	109219 old 78026-00	SRE 160 housing black	ask
Yellow	78023-00	Housing SRE 160 – yellow	ask
Green	78025-00	Housing SRE 160 – green	ask
Orange	78022-00	Housing SRE 160 – orange	ask


SRX 175 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
1/0 AWG	109374 old 78280-00	**SRE 160 contact AWG 1/0 (1 pc.) = 53,5 mm²**	ask

SRX 175 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
4		109393 old 78290-04	Handle grey SRX 175 & SRE 160 · angled · 4 screws 1/4" x 43 & screw nut	ask
4		109401 old 78291-04	Handle red SRX 175 & SRE 160 · angled · 4 screws 1/4" x 43 & screw nut	ask
		109201 old 78000-00	Cable clamp grey · plastic · for SRX/ SRE 160 / 320	3,60
5		109252 old 78072-00	Coding pin (yellow)	ask
		109257 old 78079-00	Aux cont. set for SRX/ SRE (standard)	ask

SRX 350



CONNECTOR SETS (HOUSING + CONTACTS) · NUMBERS = POS. IN THE TABLES

SRX 350 · Connector sets (housing + contacts)

HOUSING COLOUR	2/0 AWG
Red	109278 ask
Grey	109272 ask
Blue	109274 ask
Black	109283 ask
Yellow	78125-00 ask
Green	78115-00 ask
Orange	78130-00 ask

SRX 350 · Housings

POS.	ORDER CODE	DESCRIPTION	€
Red	102738 old 78143-00	SRX 350 housing red	ask
Gray	102736 old 78141-00	SRX 350 housing grey	ask
Blue	102737 old 78142-00	SRX 350 housing blue	ask
Black	102740 old 78145-00	SRX 350 housing black	ask
Yellow	78146-00	Housing SRX 350 – yellow	ask
Green	78144-00	Housing SRX 350 – green	ask
Orange	78147-00	Housing SRX 350 – orange	ask

SRX 350 · Contacts (silver-plated)

POS.	ORDER CODE	DESCRIPTION	€
2/0 AWG	109385 old 78285-05	**SRE 320 contact AWG 2/0 (1 pc.)**	ask
3/0 AWG	78287-05	**Main Contact SRX 350/SRE 320 – 3/0 AWG**	ask
4/0 AWG	102755 old 78285-10	**SRX 350 contact AWG 4/0 (1 pc.) = 107,43 mm²**	ask

SRX 350 · Accessories

POS.		ORDER CODE	DESCRIPTION	€
4		109410 old 78297-02	Handle grey SR 350 · 2 screws 1/4" x 43 & spring wash	ask
		109411 old 78297-04	Handle grey SRE 320 & SRX 350 · 4 screws 1/4" x 43 & spring wash.	ask
		109417 old 78298-04	Handle red SRE 320 & SRX 350 · 4 screws 1/4" x 43 & spring wash.	ask
		109201 old 78000-00	Cable clamp grey · plastic · for SRX/ SRE 160 / 320	3,60
5		109252 old 78072-00	Coding pin (yellow)	ask
		109257 old 78079-00	Aux cont. set for SRX/ SRE (standard)	ask

08

Explosion-proof connectors


DR E250 ex

Connectors for hazardous areas, approved for zone 1 (gas) and zone 21 (dust) to directive 2014/34/EU (EN 60079-0/-1/-7/-31). Contact coding gives polarity protection; with ≥ 50 mm² cable the DR E250 ex carries 250 A continuously.



APPROVAL	RATING	CABLE	MARKING
ATEX zone 1 / 21	250 A	25 – 70 mm²	Ex

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked "ask": **request a quote**.



DR E250 EX – DRAWING © REMA · NUMBERS = POS. IN THE TABLES



MALE CONNECTOR – NEGATIVE · NUMBERS = POS. IN THE TABLES

Male connector – positive

POS.	ORDER CODE	DESCRIPTION	€
	79250-00	DR E250 ex Plug – positive – 25-50 mm² – male	ask
	79270-00	DR E250 ex Plug – positive – 70 mm² – male	ask
	79250-05	DR E250 ex Plug – positive – 25-50 mm² – male – with coding system	ask
	79270-05	DR E250 ex Plug – positive – 70 mm² – male – with coding system	ask
1	109137	DR E250 ex Plug 25 – 50 mm² – positive	ask
1	109143	DR E250 ex Plug 70 mm² – positive	ask
1	109140	DR E250 ex Plug 25 – 50 mm² – positive	ask
1	109145	DR E250 ex Plug 70 mm² – positive	ask

Male connector – negative

POS.	ORDER CODE	DESCRIPTION	€
	79250-01	DR E250 ex Plug – negative – 25-50 mm² – male	ask
	79270-01	DR E250 ex Plug – negative – 70 mm² – male	ask
	79250-06	DR E250 ex Plug – negative – 25-50 mm² – male – with coding system	ask
	79270-06	DR E250 ex Plug – negative – 70 mm² – male – with coding system	ask
1	109138	DR E250 ex Plug 25 – 50 mm² – negative	ask
1	109144	DR E250 ex Plug 70 mm² – negative	ask
1	109141	DR E250 ex Plug 25 – 50 mm² – negative	ask
1	109146	DR E250 ex Plug 70 mm² – negative	ask

Female connector


ORDER CODE	DESCRIPTION	€
79350-00	DR E250 ex M12 – female – with screw connection	ask
79350-05	DR E250 ex M12 – female – with screw connection and coding system	ask

09

Monocon connectors

Monocon 15/30/45 · Monocon 75 · Monocon 120 · Monocon 180


Compact genderless flat-blade connectors for light electric vehicles, chargers and DC power distribution. The housing colour codes the voltage, so only matching connectors mate. Complete connectors, housings, contacts and cable clamps.



SIZES	CABLE	CODING	DESIGN
15 – 180 A	AWG 16 – AWG 1/0	By housing colour	Genderless

Prices in EUR excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change. Prices marked "ask": **request a quote**.

Monocon 15/30/45



MONOCON 15/30/45 · 75 · 120 · 180 – DRAWING © REMA · NUMBERS = POS. IN THE TABLES

Monocon 15/30/45 · Complete connectors

HOUSING COLOUR	AWG 16	AWG 12	AWG 10
Red	109537 ask	109516 ask	109531 ask
Black	109538 ask	109518 ask	109532 ask

Monocon 15/30/45 · Accessories

ORDER CODE	DESCRIPTION	€
109204 old 78000-30	Cable clamp grey for Monocon 15 A / 30 A	ask

Monocon 15/30/45 · Housings

ORDER CODE	DESCRIPTION	€
102804 old 80120-00	Monocon 15 A / 30 A housing red	ask
102805 old 80120-01	Monocon 15 A / 30 A housing black	ask
102808 old 80120-04	Monocon 15 A / 30 A housing blue	ask

Monocon 15/30/45 · Contacts

ORDER CODE	DESCRIPTION	€
102800 old 80093-01	Monocon 15 A contact AWG 16	ask
109510 old 80093-02	Monocon 30 A contact AWG 12	ask
102801 old 80093-05	Monocon 45 A contact AWG 10	ask

Monocon 75

Monocon 75 · Complete connectors		
HOUSING COLOUR		AWG 6
Red		109541 ask
Black		109542 ask
Green		109544 ask
Blue		109545 ask

Monocon 75 · Housings		
ORDER CODE	DESCRIPTION	€
109522 old 80115-00	Monocon 75 A housing red	ask
109523 old 80115-01	Monocon 75 A housing black	ask
109526 old 80115-04	Monocon 75 A housing blue	ask

Monocon 120

Monocon 120 · Complete connectors		
HOUSING COLOUR		AWG 2
Red		109547 ask
Black		109548 ask
Blue		109556 ask

Monocon 120 · Housings		
ORDER CODE	DESCRIPTION	€
109557 old 80192-00	Monocon 120 A housing red	ask
109558 old 80192-01	Monocon 120 A housing black	ask
109561 old 80192-04	Monocon 120 A housing blue	ask

Monocon 120 · Contacts		
ORDER CODE	DESCRIPTION	€
109511 old 80093-03	Monocon 120 A contact AWG 8	ask

Monocon 180

Monocon 180 · Complete connectors		
HOUSING COLOUR		AWG 1/0
Red		109552 ask
Black		109553 ask
Blue		109551 ask

Monocon 180 · Housings		
ORDER CODE	DESCRIPTION	€
109562 old 80193-00	Monocon 180 A housing red	ask
109563 old 80193-01	Monocon 180 A housing black	ask
109565 old 80193-04	Monocon 180 A housing blue	ask

Ask us for prices, stock, lead times and pre-assembled cables.

Request a quote

mkcontrols.eu · sales@mkcontrols.eu

Prices in EUR per piece, excl. VAT. Prices are indicative, per one unit (1 pc), and subject to change.

REMA is a trademark of REMA Lipprandt GmbH & Co. KG. Other trademarks belong to their respective owners. Specifications may change without notice; please confirm details when ordering.